


ComfortMaxx[™] High-Performance Testing Software

Lead Generation | Diagnostics | Sales | Accountability

ComfortMaxx will help speed up and simplify your testing process, and help hold your technicians accountable

As a result you will be able to generate high quality leads and wow your customers with professional and easy-to-understand reports about their comfort systems. This will help differentiate your company as a Performance-based leader in your marketplace.

- Close more sales
- · Create consumer-friendly visual reports
- Improve testing accuracy
- Eliminate math errors
- Eliminate handwriting legibility issues
- Easily access customer data, equipment inventory and testing history



New Lower Cost!

One monthly subscription fee for unlimited users

and tests

Three new ComfortMaxx levels for Maximum Testing Flexibility







Test system pressures and calculate airflow to generate leads for duct system renovations

Adds temperature testing and delivered Btu measurement for initial system performance analysis

Conduct full system performance testing before and after completing HVAC system renovation work

www.NationalComfortInstitute.com

KICKSTART your Performance-based Business with ComfortMaxx Air[™]

- Generate leads for airside renovations and improvements (Air Upgrades)
- Differentiates you from competitors
- Easy-to-read visual reports for your customers
- Takes less than 10 minutes on a service call
- Adds credibility to your testing
- Simplifies air diagnostic testing
- Improves technician testing accuracy
- Consistent testing process across all your field people
- Provides baseline data to compare to test-out
- Monitor your technicians' test results

All ComfortMaxx[™] Subscriptions include:

- Test virtually every type of split and packaged unit system
- Separate Heating and Cooling Tests
- Track your customer information
 for single or multiple locations
- Multiple systems per location
- Unlimited Users (must be NCI certified).
- Unlimited Residential or Commercial Locations
- Unlimited Tests per location
- · Full equipment inventory on each system set up
- Customer Report language based on location type – Residential or Commercial
- Cloud-based subscription with no hidden costs
- Full toll-free technical support

Call for more info: 800-633-7058

ComfortMaxx - Air

ComfortMaxx Air[™] Just \$95/month unlimited users and tests*

This easy-to-use cloud-based testing tool allows you to record and calculate System Airflow information based on static pressure measurements.



You simply collect four system pressures at the indicated locations. Lookup airflow on the appropriate fan chart for the equipment brand – or use our generic chart.

The software provides both a detailed printable PDF "Contractor"

report and a "Visual" Report designed for sharing with your customers.

*Add full NCI Membership for just \$5.00 per month!

Dustomer Details Patrick Peters 153 Winding Way			2016	
1153 Winding Way		Contractor Det		
1153 Winding Way		1976 Rocky Road	5	
C+ 30203		Atlanta, GA 303	05	
Atlanta, GA 30303 555-867-5309		800-448-3665		
Address	Main Contact			
Location May	Patrick Peters			
"Peters Home" 1153 Winduity (10) (Residential) Atlanta, GA 30303	555-867-5309			
	System	Area Served		
Tested by Carl Weathers on Jul 4, 2016 2:30 PM	Furnace 1	Whole House 1140 Sq. R.		
Carl Weathers on Joc 4, 2010 Test ID: T:3529:4736	Split Gas-Electric	1140 Sq. Pc.		
			Percent of Require	d Fan Airflow
Fan Airflow	Measured Fan A	Airflow	BI%	
Required Fan Airflow 800 CFM	649 CFM		0170	4
or higher. Low fan airflow is a leading premature equipment failure. High st fan airflow.				
Total Static Pressure			Rated Total Static	Percent of Rated
Total Static Pressure Exitin	ng Pressure To	tal Static Pressure	Rated Total Static Pressure	
Entering Pressure Exitin	ng Pressure	tal Static Pressure 7 in. w.C.		Percent of Rated 140%
Entering Pressure Exitin 0.35 in. w.c. 0.35	in. w.C. 0.	7 in. w.C.	0.5 in. w.c. re. 140	140%
Entering Pressure Exitin 0.35 in. w.C. 0.35 Mode static pressure can best be un	in.w.c. 0. Iderstood by comparing	7 in. w.c. it to high blood pressu	0.5 in. w.c. rre. 140 tens	140%
Entering Pressure Exitin 0.35 in. w.c. 0.35 High static pressure can best be un just as high blood pressure causes	in. w.c. 0 iderstood by comparing many negative health co man effect on your air con	.7 in. w.c. it to high blood pressu onsequences and short nditioning system. Hig	0.5 in. w.c. rre. 140 tens	140%
Entering Pressure Exitin 0.35 in. w.c. 0.35 High static pressure can best be un just as high blood pressure causes	in. w.c. 0. Iderstood by comparing many negative health co man effect on your air con	.7 in. w.c. it to high blood pressu onsequences and short nditioning system. Hig	0.5 in. w.c. rre. 140 tens	140%
Entering Pressure Exitin 0.35 in. w.C. 0.35 Mode static pressure can best be un	in. w.c. 0. Iderstood by comparing many negative health co man effect on your air con	.7 in. w.c. it to high blood pressu onsequences and short nditioning system. Hig	0.5 in. w.c. rre. 140 tens	M0%
Extension Pressure Extension 0.35 kin, w.c. 0.33 High static pressure can best be un Use as high static pressure can best be un Juit as high static pressure has the static pressure has the static pressure is the most or Use as high static pressure is the most or Air Filter Air Filter	is w.c. Q idenstood by comparing many negative health co me affect on your air con premon reason for low air	(7 in. w.c. it to high blood pressu onsequences and short widtioning system. Higi rflow.	0.5 in. w.c. rre. 140 tens	NO%
Entering Intersant Exercise 0.35 sits w.c. 0.35 High static pressure can best be un fund, as high blood pressure causes tood static pressure is the resort on tool static pressure is the resort on Air Filter Testing Testing	is in: w.c. Q idensional by comparing many negative health co mere affect on your air con ymmon reason for low air alting Pressure	.7 in. w.c. it to high blood pressu onsequences and short nditioning system. Hig	Pressure 0.5 in. w.c. rre. 140' ens h	M0%
Descript Pressure Data 0.35 in: w.c. 0.35 High static pressure rate how the weight blood pressure cancel the high static pressure has the set to weight the how	In w.c. 0 Inderstood by comparing many negative health or mere affect on your air con premon reason for low air atting Pressure 135 in. w.c.	(2 in, w.c. it to high blood pressu- insequences and shon- shitioning system. Hig ritow. Pressure Drop 0.22 in, w.c.	Pressure O.S in. w.C. It40 Pressure Budget O1 in. w.C.	NO%
Entening Instance Exercise 0.35 kit w.c. 0.35 High static pressure can best be un live an inght blood pressure causes tool, high static pressure is the resol tool, static pressure is the resol 0.37 All Filter Extensing Pressure Extensing Pressure Extensing Pressure	In: w.c. Q in: w.c. Q ine article in the state of the s	(2) In. w.C. It to high blood pressus insequences and short whitening system. Hig filow. Pressure Drop 0.22 in. w.C. exchool pretam. However	Pressure 0.5 in. w.c. re. 140° ens h Pressure Budget 0.1 in. w.c. gr. 222	NO%



ComfortMaxx Pulse[™] Just \$145/month unlimited users and tests*

Move up to ComfortMaxx Pulse[™] and take the pulse of your customer's systems by adding temperature testing and delivered BTU measurement. The Pulse test is designed to get a quick (15-20 minute) initial diagnostic on a system's performance. As it does not include room-by-room airflow and Btus, this test is meant to be used for lead generation through service, or a quick test on a sales call to help identify how well a system is performing.

With ComfortMaxx Pulse you can:

- Perform ComfortMaxx Air or Pulse tests
- Create detailed printable PDF contractor reports
- Share visual PDF reports with your customers

*Add full NCI Membership for just \$5.00 per month!



ComfortMaxx Verify[™] Just \$195/month unlimited users and tests*

ComfortMaxx Verify[™] is the ultimate in total HVAC System Performance measurement. By performing a test-in before you begin renovation work, and a test-out after the work is complete and the system is balanced, you can provide your customer with a side-by-side comparison report showing that you delivered what was promised.

With ComfortMaxx Verify you can:

- Perform ComfortMaxx Air, Pulse, or Verify tests
- Create multiple detailed printable PDF contractor reports including side-by-side test-in and test-out comparisons,
- Share in-depth visual reports with your customers.

*Add full NCI Membership for just \$5.00 per month!

ortMax WPULSE	Cooling System Visual Report	ComfortMax VERIFY		Contractor Details	
	Contractor Details	Customer Details Patrick Peters		Weathers Great HVAC 1976 Rocky Road	
omer Details ok Peters Winding Way na, GA 30303	Weathers Great HVAC 1976 Rocky Road Autras (A 30005 80C-438-2665	Patrick Peters 1153 Winding Way Atlanta, GA 30303 555-867-5309		Atlanta, GA 30305 800-438-2665	
867-5309 asion Address Main Contact patrick Peter's Patrick Peter's		Location Address "Peters Home" 1153 Winding Way (Residential) Atlanta, GA 30303	Main Contact Patrick Peters 555-867-5309		
ers Home" 1153 Winding Way Patrick Hule a sidential) Atlanta, GA 30303 555-867-530 System	9 Area Served Whole House	Tested by Carl Weathers on Jul 4, 2016 2:30 PM	System	krea Served Whole House 1840 Sq. PL	
seed by Furnace 1					
Initial Proceedings System Effective Efficiency The percentage represents a snapphor of the current performance of the surrent pe	erformance Results	Test ID- 73524-4738 Cooling System Effective Efficit 10% of the specerupge represents a orsupport of 10% of the system's calevaly system's calevaly this percentage to see what value you an	the contemp tevel display	n your cooling system. Out of d. Muttiply your utility bill by	73% Emiciency
Initial Period Control of the second	erformance Results memore of your cooling system. Our of delapayed. Multiply your utility bill by energy dotax.	Cooling System Effective Effective of the percentage represents a sequence of this percentage to percentage to see unit value your or the percentage to see unit value your or the cooling Equipment Effective of the percentage to percentage t	Incy the current performance reading at the level display e getting for your energy of the manufacture of the opper- the manufacture of the opper-	d your cooling system. Out of dt. Multiply your usely bill by olar. In at a specific efficiency level. or droor cooling exament. Out	73 [%] encurry 95 [%]
Weather of the sport of the sport of the sport Gardener Sport Gardener Sport Gardener Sport Gardener Sport Gardener Spo	er formance Results meanse of your cooling system. Out of to displayed. Multiply your visitity list by renergy dollar. In to operate at a specific efficiency lister. In to operate at a specific efficiency lister. 95% circumy	Cooling System Effective Effect This percentage represents a rangement tobils, for systems capacity cover exp this percentage to see what value you are	Incy the current performance rading at the level display e getting for your energy of the manufacture of the open the manufacture to open	d your cooling system. Out of dt. Multiply your usely bill by olar. In at a specific efficiency level. or droor cooling exament. Out	
Initial Per solo 7359-4737 Solo Cav-Beet Initial Per Cooling System Effective Efficiency this percentage represents a stapping of the current perior mis percentage to see what value you are getting for your Cooling Equipment Effective Efficiency cooling Equipment Effective Efficiency cooling Equipment Effective Efficiency cooling Equipment Effective Efficiency	er dormance Results meanse of your cooling system, but of an energy dollar. energ	Cooling System Effective Efficit This percentage represents a surapive or bits percentage to systems capacity systems bits percentage to see what value system Cooling Equipment Effective Too cooling equipment is designed to 100% of the systems design efficient	Incy the current performance avaing at the level display getting for your energy (Efficiency) the manufacture to open of the current performan or, you're operating at th	d your cooling system. Out of dt. Wutply your utility bill by clair. Ins #1 Specific efficiency level. ad your cooling equipment. Out Javed displayed.	
Weather of the sport of the sport of the sport Gardener Sport Gardener Sport Gardener Sport Gardener Sport Gardener Spo	er formance Results meanse of your cooling system. Out of to displayed. Multiply your visitity list by renergy dollar. In to operate at a specific efficiency lister. In to operate at a specific efficiency lister. 95% circumy	Cooling System Effective Effective This percentage regreters a surgetor this percentage regreters as used on the surget systems calculated by over one this percentage regreters as used on the surget systems calculated by over one cooling explorement is designed as the too over one systems design effective to too over one systems design effective	Incy the current performance: waring at the level display getting for your energy of Efficiency the manufacture to open of the current performan or the current performan or the current performance of the curren	d your cooling system. Out of dt. Wulppy your usity bill by oilar. are at a specific, efficiency level. ef your cooling equipment. Out level displayed.	95 [%]

Get Started with ComfortMaxx[™] Today

Here's how to get started:

- Request and complete an application/agreement to get things started
- Make sure your technicians who collect and input data are currently NCI Certified in **System Performance** and/or **Air Balancing**
- You can enroll up to four additional users on the application itself. To enroll more users or remove a user, contact NCI at 800-633-7058

What qualifications are necessary for ComfortMaxx?

There are two levels of ComfortMaxx users: Administrators and Technicians

- Administrators are authorized by company owners/general managers to manage the company's account and input testing data on behalf of field technicians.
- **Technicians** must be NCI certified to input test data from their field tests. They can work with or without internet access while testing in the field. When testing off-line, they complete data collection forms and turn them into the appropriate administrator. Forms are available in either paper or fillable PDF documents.

ComfortMaxx Program & Features	Air \$95/month*	Pulse \$145/month*	Verify \$195/month*
Track customer information (for single or multiple locations)	 ✓ 	 ✓ 	v
Multiple systems per location	v	 ✓ 	~
Unlimited Users (must be NCI certified)	v	V	/
Unlimited residential or commercial locations	~	/	/
Unlimited tests per location	v	V	 ✓
Full equipment inventory on each system set up	 ✓ 	V	~
Tests virtually every type of split and packaged unit systems	 ✓ 	 ✓ 	 ✓
Separate heating and cooling tests	v	 ✓ 	~
Customer reports based on location type – residential or commercial	 ✓ 	 ✓ 	 ✓
Full toll-free technical support	 ✓ 	 ✓ 	~
Multiple printable PDF contractor and customer reports	 ✓ 	V	~
Static pressure and airflow testing	 ✓ 	 ✓ 	~
Temperature testing and delivered Btu diagnostic measurements		 ✓ 	 ✓
Test-in/Test-out measurements with comparison reports			V
Full room-by-room airflow and performance testing			V

ComfortMaxx Feature Comparisons



*Add NCI Membership for just \$5/month

Call for more info: 800-633-7058